INDEX TO VOLUME 42

Acarina, Acaridae, 195; Anoetidae, 195; Epidermoptidae, 34; Liacaridae, 183, 512; Phytoseiidae, 68; Pyemotidae, 222; Oribatidae, 526; Scutacaridae, 195

Acetylcholinesterase polymorphism in the face fly, 39

Acmaeodera **knowltoni**, 328; **idahoensis**, 331

Adoxomyia, keys to genus, 263; **marginata**, 273; **regularis**, 269; **tenuicornis**, 271

Aedes (Finlaya) **mohani**, 382

Alexander, C. P., Crane flies, new species from tropical America V, 83

Allen, R. K., and S. S. Roback, New species and records of New World Leptohyphinae, 372

Allodapine bees, key to African genera of non-parasitic, 292

Allodapulodes, 291

Amblyseiulus **amotus**, 72; **reventus**, 74; **versutus**, 74

Amblyseius **opertus**, 71

Amyrsidea **oculeae**, 336

Anderson, L. D., see J. L. Bath

Apatania **barri**, 48

Araneae, Lycosidae, 339

Arlian, L. G., and T. A. Woolley, Life stages of Liacarus cidarus, 512

Arurkar, S. K., see C. O. Knowles

Atarba (A.) **fieldiana**, 85; **panamensis**, 86

Atchley, W. R., Description of male, pupa, and larval habitat of Nilobezzia brevicornis, 54

Baeonotus, 366; **microps**, 366

Barr, W. F., New species of Hippomelas and Acmaeodera from western North America, 321

Bath, J. L., and L. D. Anderson, Larvae of 17 chironomids from southern California, 154

behavior, Acarina, 195; Carabidae, 452; Formicidae, 58, 108, 452; Lycosidae, 339; Sphecidae, 117, 470

Bell, H. L., and A. V. Nebeker, Tolerance of aquatic insects to low pH, 230

Beulig, M. L., and D. H. Janzen, Behavior of obligate acacia-ants, variation in same colony, 58

biology Halictidae, 421; Liacaridae, 512; Lycosidae, 339; Oribatidae, 526

Bohart, G. E., see E. A. Cross

Bohart, R. M. New species of Pseudoplisus from North America II, 392

Bolbomyia **andiscalcella**, 286; key to species, 286

Boliviela, 464; **inflata**, 464; **ortha**, 466

Braunsapis, 290

Burke, H. R., Anthonomus robinsoni Blatchley. a synonym of Amalus haemorrhous (Herbst), 236

Byers, G. W., A new family of nematocerous Diptera, 366

Caraboacarus **karenae**, 222

Chilelana, 462; **artigasi**, 462

Chironomid larvae, key to, 156

Chironomus **cucini**, 105

Cinderella **aczeli**, 82; postabdomen of, 80

Coilopus, 456; **crabrus**, 460; key to species, 461; **vellus**, 460

Coleoptera, Buprestidae, 321; Carabidae, 228, 452; Curculionidae, 236, 238; Hydrophilidae, 413; Tenebrionidae, 294

Cross, E. A., and G. E. Bohart, Phoretic behavior of 4 species of alkali bee mites as influenced by season and host sex, 195

Cyphomyia **erecta**, 315; key to species of bicarinata group, 314

Dasystole, key to species, 278

DeLong, D. M., New South American genera related to Tinobregmus and Sandersellus, 462: and P. H. Fregtag, A new genus and 7 new species of Gyponinae, 303

Diptera, Asilidae, 363; **Baeonotidae**, 366; Bombyliidae, 5; Ceratopogonidae, 54, 406; Chironomidae, 91, 154; Culicidae, 382; Heleomyzidae, 80; Muscidae, 39, 176; Rhagionidae, 285; Stratiomyidae, 260, 313; Tipulidae, 83

Doryceranosus, 184; **paoliensis**, 187

Eason, R. R., Life history and behavior of Pardosa lapidicina, 339

ecology, effect of low pH on aquatic insects, 230; influence of temperature on development of the lesser mealworm, 294; insects associated with oxidation lagoons, 409

Eickwort, G. C., and K. R. Eickwort, Biology of Costa Rican halictine bees I, Agapostemon nasutus, 421

Eickwort, K. R., see G. C. Eickwort

Elbel, R. E., see R. D. Price
Elkins, J. C., A new genus of hemipteran wasp mimics, 456
Elzinga, R. J., see P. A. Nickel
Enns, W. R., see R. E. Munson; see L. W. Smith, Jr.
Ephemeroptera, Tricorythidae, 372
Epidermoptes **phasianus**, 34
Erythroneura **arneri**, 130; **brooki**, 126; **colmeri**, 132; **ellisi**, 129; **fergesoni**, 130; **greeni**, 127; **hamneri**, 127; **sadleri**, 132; **spiniterma**, 133; **vinsoni**, 129
Evans, H. E., Nesting behavior of Pisonopsis clypeata and Belomicrus forbesii, 117
Exoprosopa **actites**, 21; **aztec**, 13; **bellula**, 22; **callima**, 24; **cracens**, 25; **fasciolata**, 28; **fuligosa**, 16; key to small Mexican and Central American species of the fasciata group, 20; **leon**, 18; **lepida**, 29; **minuscula**, 31; **nigroventris**, 32

Fregtag, P. H., see D. M. DeLong

Galendromus **superstus**, 75
Gonomyia (G.) **stenorhabda**, 87; **stylacantha**, 88; (Lipophleps) **minutistyla**, 90; (Paralipophleps) **uncinata**, 89

Halterapis, 289
Hemiptera, Gerridae, 509; Miridae, 219, 387; Reduviidae, 456; Thaumastocoridae, 251
Hepner, L. W., Erythroneura, new species from oaks and hickories, 126
Hermann, H. R., Hymenopterous poison apparatus VIII, Leptogenys (Lobopelta) elongata, 239
Hippomelas (Gyascutus) **fulgida**, 321; **lariversi**, 324; (Prasinalia) **imperialis**, 326
Homoptera, Cicadellidae, 126, 141, 257, 303, 462
Hymenoptera, Anthophoridae, 247, 289; Formicidae, 58, 108, 239, 452; Halictidae, 195, 421; Mutillidae, 524; Perilampidae, 247; Sphecidae, 117, 392, 467, 470

Jalil, M., Life cycle of Humerobates rostrolamellatus, 526
James, M. T., and Max W. McFadden, Genus Adoxomyia in America north of Mexico, 260; see M. W. McFadden
Janzen, D. H., see M. L. Beulig

Khalaf, K. T., Monohelea from Mississippi and Louisiana, 406
Knight, K. L., A new species of Aedes (Finlaya) from India, 382
Knowles, C. O., and S. K. Arurkar, Acetylcholinesterase polymorphism in the face fly, 39
Knutson, H., Painter obituary, 2
Knoll, J. C., see R. W. Plsek
Kurczewski, F. E., Comparative ethology of female digger wasps, 470

Lasiopogon **polensis**, 363
Lavigne, R. J., A new species of Lasiopogon from Wyoming, 363
Lenarchulus **salmon**, 50
Lepidoptera, Geometridae, 276; list, Camden Co., Missouri, 134
Leptohyphes **echinatus**, 375; **hirsutus**, 374; **myllonotus**, 375; **spinosus**, 372
Liacaridae, key to genera of, 193
Ligyra **alacer**, 6; **evansi**, 9
Lopidella, key to species, 391; **knighti**, 388; **oaxacensis**, 390

McDaniel, B., and G. C. Parikh, New species of Epidermoptes, 34
McFadden M. W., and M. T. James, Cyphomyia bicarinata species group, 313; see M. T. James
Mallophaga, Menoponidae, 336
Marlin, J. C., Raiding behavior of Polyergus l. lucidus in central Illinois, 108
Masters, J. H., Butterflies of Lynch Hollow, Missouri, 133
Michener, C. D., African genera of allodapine bees, 289; Immature stages of a chalcidoid parasite tended by allodapine bees, 247
Mickel, C. E., Pseudomethoca willei, a new mutillid reared from Lasioglossum cells, 524
Miner, F. D., see T. H. Wilson
Monohelea **wirthi**, 407
morphology, Formicidae, 239; Muscidae, 176; Thaumastocoridae, 251
Munson, R. E., and W. R. Enns, Hypera records from Missouri, additional, 238; and T. R. Yonke, Missouri distribution of 4 mirid species, 219

Nebeker, A. V., see H. L. Bell
Neoseiulus **swartii**, 69; **saltus**, 69
Nickel, P. A., and R. J. Elzinga, Caraboacarus karenae, a new mite from carabid beetles, with notes on biology, 222

Nielson, M. W., Revision of Pasadenus, 141
Nilobezzia brevicornis, description of male, pupa, and larval habitat, 54
Nitelopterus **kansensis**, 467
Nomia melanderi, as mite host, 195

Orimarga (Diotrepha) **luteipleura**, 83
Orthocladius **obseptus**, 91

Painter, E. M., see R. H. Painter
Painter, R. H., and E. M. Painter, New Exoprosopinae from Mexico and Central America, 5; obituary, 2
Paracymus **corrinae**, 418; **indigens**, 419; key to Mexican and Central American species, 420; **leechi**, 413; **mexicanus**, 415; **regularis**, 417; **spangleri**, 414
Paralauterborniella **ostansa**, 102
Parikh, G. C., see B. McDaniel
Pasadenus, key to species, 144
physiology, flight of blow fly, 379
Phytoseiidae, annotated list of in Missouri, 76
Plsek, R. W., J. C. Kroll, and J. F. Watkins II, Carabid beetles in columns of army ants, 452
Poecilanthrax **mexicanus**, 10
Polhemus, J. T., A new Rheumatobates from Mexico, 509
Polymera (P.) **cingulata**, 84
Ponanella, 304; **astra**, 312; **ena**, 305; **felera**, 307; **gelata**, 311; key to species, 304; **minuenda**, 307; **rubravenosa**, 311; **santara**, 309
Poole, R. W., Revision of the Neotropical genus Dasystole, 276
Price, R. D., and R. E. Elbel, A new species of Amyrsidea from an oriental partridge, 336
Procorynetes, 190
Pseudomethoca **willei**, 524
Pseudoplisus **butleri**, 397; **californicus**, 401; **catalinae**, 395; **claripennis**, 403; **erugatus**, 404; **flavidulus**, 402; **hadrus**, 405; **imperialis**, 403; key to species, 392; **nigricomus**, 398; **ocellatus**, 401; **samiatus**, 396; **tanythrix**, 399

reviews, Cole, Pogonomyrmex harvester ants, 244; Alexander, Crane flies of California, 245; Levi and Levi, trans., Kaestner, Invertebrate Zoology 2, 361; Townes, Genera of the Ichneumonidae I, 362
Rhaphidosus, 191; **acuminatus**, 191
Rheumatobates **aestuarius**, 509
Roback, S. S., see R. K. Allen
Ruppel, R. F., Cicadulina bipunctella and C. chinai from India, 257

Schaefer, C. W., Morphological and phylogenetic notes on the Thaumastocoridae, 251
Schaffner, J. C., Review of Lopidella with 2 new species, 387
Slansky, J. E., A new species, Nitelopterus kansensis, from Kansas, 467
Smith, L. W., Jr., and W. R. Enns, Insects associated with oxidation lagoons in Missouri, 409
Smith, S. D., Trichoptera, 2 new species from Idaho, with distribution and taxonomic notes on other species, 46
Stempellina, key to Nearctic species, 99; **leptocelloides**, 94; **ranota**, 96; **rodesta**, 95
Steyskal, G. C., Postabdomen of Cinderella with a new species from Argentina, 80

Tanytarsus **trilobus**, 99; **tibialis**, 100
Trichoptera, 46
Tricorythodes **ocellus**, 378

Valder, S. M., Reproductive system morphology of the face fly, 176

Watkins, J. F., II, see R. W. Plsek
Webb, D. W., A new species of Bolbomyia, 285; New species of chironomids from Costello Lake, Ontario, 91
Wilson, T. H., and F. D. Miner, Influence of temperature on development of the lesser mealworm, 294
Woolley, T. A., North American Liacaridae III, new genera and species, 183; see L. G. Arlian
Wooldridge, D. P., New species of Paracymus from Mexico and Central America, 413

Yonke, T. R., see R. E. Munson
Yurkiewicz, W. J., Flight physiology of the blow fly, 379

Zack, R. E., New phytoseiid mites from Missouri and records, 68; correction, 391